











  
MARYGROVE AWNINGS  
TONY LOCKARD  
ACCOUNT REPRESENTATIVE  
419-837-2821




SUBSTRUCTURE IS STRUCTURAL TUBING PAINTED BLACK  
 FRAMING IS ALUMINUM MILL FINISH  
 1" X 1" TUBING WITH .090 THICKNESS  
 1" X 2" TUBING WITH .093 THICKNESS  
 DESIGN CRITERIA:  
 SNOW LOAD: 24 PSF, EXPOSURE CATAGORY: B  
 WIND LOAD: 90 MPH, EXPOSURE CATAGORY: B

**Marygrove**  
 AWNINGS  
 ACCOUNT REPRESENTATIVE  
 TONY LOCKARD  
 BAR 145  
 10259 PENNEY LANE  
 MIAMISBURG, OHIO 45342



OFFSET PLATES  
TO ALLOW PANELS  
TO SEAL AT CONCRETE




**BASE PLATE ATTACHMENT**



**Marygrove**  
AWNINGS  
ACCOUNT REPRESENTATIVE  
TONY LOCKARD  
BAR 145  
10259 PENNEY LANE  
MIAMISBURG, OHIO 45342

FABRIC : FERRARI POPPY  
WITH REINFORCED  
CLEAR VINYL AS NOTED  
(WIND PANELS)

SUBSTRUCTURE IS STRUCTURAL  
TUBING PAINTED BLACK  
FRAMING IS ALUMINUM MILL FINISH  
1"x1" TUBING WITH .090 THICKNESS  
1" x 2" TUBING WITH .093 THICKNESS  
DESIGN CRITERIA:  
SNOW LOAD: 24 PSF, EXPOSURE CATAGORY: B  
WIND LOAD: 90 MPH, EXPOSURE CATAGORY: B



**Marygrove**  
AWNINGS

ACCOUNT REPRESENTATIVE  
TONY LOCKARD

---

BAR 145  
10259 PENNEY LANE  
MIAMISBURG, OHIO 45342

